


●○ 외형치수

● BASE WA TYPE



● NGK(BASE WA TYPE)

[단위:mm]

형 식	출력(Kw)	W	E	A	B	C	F	D	X	O	Y	CP	L			
NGK25-1	3.7	370	330	150	130	360	600	233	165	398	102	222	678			
	5.5							425		293			761			
	7.5												723			
NGK25-2	5.5	470	430	190		500	800	280				445	398	312	907	832
	7.5									794						
	11									907						
NGK25-3	1.5	370	330	150		360	600	233	425	293	721	862	794	599		
	2.2														678	
	3.7															721
NGK25-4	3.7	370	330	150		360	600	233	425	293	721	862	794	599		
	5.5														678	
	7.5															721
NGK40-1	3.7	370	330	150		360	600	233	165	398	102	222	678			
	5.5							425		293			761			
	7.5												723			
NGK40-2	5.5	470	430	190		500	800	280				445	398	312	907	832
	7.5									794						
	11									907						
NGK40-3	1.5	370	330	150		360	600	233	165	398	102	222	599			
	2.2							425		293			678			
	3.7												749			
NGK40-4	3.7	470	430	190		500	800	260				425	293	832	794	733
	5.5									678						
	7.5															
NGK40-5	18.5	470	430	190		500	800	260	180	440	100	284	733			
	11													733		
NGK50-1	3.7	370	330	150		360	600	233	160	392	80	213	669			
	5.5							419		752						
	7.5													714		

●○ 외형치수

● NGK(BASE WA TYPE)


[단위:mm]

형 식	출력(Kw)	W	E	A	B	C	F	D	X	O	Y	CP	L				
NGK50-2	7.5	370	330	150	130	360	600	310	216	526	102	293	794				
	15	470	430	190		500	800					312	907				
	18.5												315	929			
18.5	570							530	900	339				555	318	995	
22		1033															
30		318	1089														
NGK50-3	45	794	907														
	7.5	370	330	150		360	600	260	165	425		293	794				
	11	470	430	190		500	800	280		445		312	907				
15	310							241	551	315	929						
15														570	530	900	339
18.5		401	642	322		1118											
22	800						225	505	100	284	764						
30												216	526	312	907		
37		800	310	279		589										315	929
45	900						339	279	589	315	929						
55												401	339	279	589		
37		600	1000	401		680										318	1089
45	500						800	354	343	697	312						
55												470	430	190	500		
75		900	339	279		589										315	929
30	600						1000	401	680	318	1089						
45												500	800	354	343		
55		470	430	190		500										800	310
75	900						339	279	589	315	929						
30												600	1000	401	680		
45		500	800	354		343										697	312
55	470						430	190	500	800	310						
75												900	339	279	589		
30		600	1000	401		680										318	1089
45	500						800	354	343	697	312						
55												470	430	190	500		
75		900	339	279		589										315	929
30	600						1000	401	680	318	1089						
45												500	800	354	343		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354	343	697		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354	343	697		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354	343	697		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354	343	697		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354	343	697		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354	343	697		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354	343	697		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354	343	697		
55		470	430	190		500										800	310
75	900				339		279	589	315	929							
30											600	1000	401	680	318		
45		500	800	354		343										697	312
55	470				430		190	500	800	310							
75											900	339	279	589	315		
30		600	1000	401		680										318	1089
45	500				800		354	343	697	312							
55											470	430	190	500	800		
75		900	339	279		589										315	929
30	600				1000		401	680	318	1089							
45											500	800	354</				

※ 주문에 따라 고유량(최대 4,000LPM), 고압정(최대 140M)까지 제작 및 공급 가능함.
※ Motor에 따라 치수가 변경될 수 있음.

●○ 외형치수

● BASE WB TYPE



● NGK(BASE WB TYPE)

[단위:mm]

형 식	출력(Kw)	W	E	A	B	C	F	D	X	O	Y	CP	L						
NGK25-1	3.7	300	240	202	130	400	600	153	165	318	102	222	678						
	5.5							180		345			761.5						
	7.5												761.5						
NGK25-2	5.5	400	340	212	140	500	800	200		365		312	832.5						
	7.5							153		318		222	907						
	11												599						
NGK25-3	1.5	300	240	202	130	400	600	153		165		318	102	222	628				
	2.2							180				345			749				
	3.7															678			
NGK25-4	3.7	300	240	202	130	400	600	180				165		345	102	293	832.5		
	5.5							318						222			761.5		
	7.5																	599	
NGK40-1	3.7	300	240	202	130	400	600	153	165		318			102		222	678		
	5.5							180			345						761.5		
	7.5																	599	
NGK40-2	5.5	400	340	212	140	500	800	200			165					365	102	293	907
	7.5							318								222			628
	11																		
NGK40-3	1.5	300	240	202	130	400	600	153		165			318			102		222	599
	2.2							180					345						761.5
	3.7																		
NGK40-4	3.7	300	240	202	130	400	600	180				165	345		102			293	678
	5.5							318					222						628
	7.5																		
NGK40-5	11	400	340	212	140	500	800	260	165				320	102				284	877
	18.5							153					313						921
NGK50-1	3.7	300	240	202	130	400	600	180					160					340	100
	5.5							230			446						739.5		
	7.5																	599	
NGK50-2	7.5	400	340	212	140	500	800	230			216						446	102	
	15							312		929									
	18.5															951			

●○ 외형치수

● NGK(BASE WB TYPE)

[단위:mm]

형 식	출력(Kw)	W	E	A	B	C	F	D	X	O	Y	CP	L							
NGK50-3	18.5	400	340	212	140	500	800	230	216	446	102	312	951							
	22											315	995							
	30						1033													
	45	450	390			900	259	475	318	1089										
NGK65-1	7.5	300	240	202	130	400	600	180	165	345		102	293	832.5						
	11	400	340	212	140	500	800	200		365			312	907						
	15													929						
NGK65-2	15								230					471	241	500	900	259	500	315
	18.5							951												
	22							995												
	30							1033												
NGK65-3	22	450	390				212	140	500	900			321	562	318	1089				
	30										1033									
	37										1089									
	45										1089									
	55										322		1118							
NGK65-4	37	400	340							212	140	500	800	225	505	100	284	921		
	18.5			1053																
NGK80-1	11			216	446	312												907		
	15																	929		
	18.5													526	315	951				
	22															995				
NGK80-2	18.5	400	340	212	140	500							800	230	279	538	318	1089		
	22						312	951												
	30							995												
	37							1033												
NGK80-3	37	450	390				212	140	500				900	259	321	600	318	1089		
	45																	322	1118	
	55									1237										
	75									1237										
NGK125	30	400	340							212	140	500	800	274	343	617	102	315	1033	
	45	450	390										900					318	987	
	55												322					1118		
	75																	1237		
NGF80	11	400	340	212	140	500						800	230	279	509	102		312	907	
	15																		929	
	18.5																		951	
	22																		315	995
NGF125	18.5	400	340				212	140	500			800	274	343	617			102	312	951
	22																		315	995
	30																			1033

※ 주문에 따라 고유량(최대 4,000LPM), 고양정(최대 140M)까지 제작 및 공급 가능함.
※ Motor에 따라 치수가 변경될 수 있음.